

Evaluation of the Causes and Effects of Flood in Apete, Ido Local Government Area, Oyo State, Nigeria.

Michael Adetunji¹ Oyewale Oyeleye^{2*}

Department of Urban and Regional Planning, Faculty of Environmental Sciences.
Ladoke Akintola University of Technology, Ogbomosho, Oyo State, Nigeria.
P.M.B. 4000, Ogbomosho, Oyo State, Nigeria.
Tel: +2347057589328; +2348038122412*.

*E-mail of the corresponding author: oyeleyeoyewale@yahoo.com

Abstract

Floods in Nigeria had done more harm without any notice of benefits. In the last 30 years, Nigerian cities have experienced great physical development, in terms of building, manufacturing industries and others without any appreciable infrastructures such as drainages, roads and canals to support them. These have made floods to be a serious challenge that plague many Nigerian cities. Thus, this research investigates the causes and effects of flood in Apete Area of Ibadan, Oyo State, Nigeria, and proffer recommendations to avert the future occurrence of flood in the area. The results of the research will expose Nigerian government to the strategies of mitigating any occurrence of flood, as well as enlighten the public on how to guide against the occurrence of flood. 156 questionnaires were administered to the residents of Apete area to know the causes and effects of floods in the area. The findings of this research show that there is poor waste management practices among the residents of Apete. They engaged in indiscriminate waste dumps which have blocked the inadequate drainage available. There is high rate of building construction along water channels which usually results to floods. Many lives and properties have been destroyed by floods.

Keywords: Floods, harm, cities, physical development, infrastructure, drainage, plague, public

1. Introduction

The vision of Nigeria to be among the first top twenty nations with leading economy by the year 2020 may be a mirage, if lives and properties are not safe from the frequent occurrence of flood in the country. Flood is one of the major factors that prevent Africa's population from escaping poverty level (Action Aid, 2006). A flood results when a stream runs out of its confines and submerges surrounding areas (Stephen, 2011). Similarly, Kates (1985) defines flood as an overflow of an expanse of water that submerges land. European Union (2007) sees flood as a temporal covering of land by water, not covered by water before the incidence. Though, flood may be temporal as believed by the European Union, but the effects may not be temporal when such occurrence claims several lives and properties. Flood not only affects the victims, but also has a great gross effect on the national economy of the country where poverty level rises due to the incidence. Halley (2001) identifies the major cause of flood in Africa to be inadequacy of drainage. On the contrary, the major cause of flood in Nigeria has been identified to be excessive rainfall (Wetch, 1977; Taiwo, 2008; Akanin and Bilesanmi, 2011; Aderogba, 2012a and 2012b). Meanwhile, flood usually occurs when there is a continuous downpour of rain for a long period, while resulted excess water has capacity beyond what available drainage can easily convey, due to its inadequacy or blockage of the drainage.

There are three schools of thought about the preponderance of floods all over the globe especially in the tropics. The first is of the opinion that there is global warming and climate change that is directly and or indirectly increasing the amount of rain and ice melting that is increasing the amount of runoff. In this case, the only source of water that results in great floods, in West Africa, and indeed, south western Nigeria, will be rain water. The second school of thought is of the view that there have been a lot of abuses heaped on the physical environment of man; and that the environment is only responding to the abuses heaped on it. The abuses include but not limited to poor planning of the physical environment, poor management of wastes, inadequate drains for the built up areas and others. The third school has it that it is the combination of global warming, climate change, and the abuses of man on the environment that are the causes of prolonged and torrential showers of rains and the resultant runoff that lead to devastating floods in America, Europe and Africa –including Nigeria; and south western Nigeria. The facts behind the three schools are yet to be thoroughly researched and confirmed, (Dow and Dowling, 2006 and Kersh and Simon 2005).

The effects of flood are not wholly negative as painted by many researchers, but also have its positive impact. Although flooding, generally, is a bane of most people, floods can be quite beneficial. Actually, nature benefits more from natural floods than from not having them at all (Abowei and Sikoki, 2005). The thing that makes natural floods a disaster is when flood waters occur in areas populated by humans and in areas of significant human development. Otherwise, when left in its natural state, the benefits of floods outweigh the adverse effects

(Bradshaw *et al.*, 2007). The higher the flood waters from the river, the better the harvest for that year (Bariweni *et al.*, 2012). In the last 30 years, Nigerian cities have experienced great physical development, in terms of building, construction and reconstruction of roads, offices, markets and stores, manufacturing industries and others without any appreciable infrastructures such as drainages, roads and canals to support them (Aderogba, 2012c); and these have made floods to be a call for concern in the country. Floods experienced in Nigeria had done more harm in Nigeria without any notice of benefit. From the report of National Emergency Management agency (NEMA) in 2012, between June and September 2012, over 363 lives were lost and about 1.2 million Nigerians were displaced. The report also declared that over one million Nigerians may die due to the effects of floods before 2015, if no precautionary measures are not taken. Havoc caused by the flood incidence of Ogunpa river in Ibadan, Nigeria in 1980 are still cause of sorrow for many victims, where several lives were lost and properties worth millions of Naira went into air, people who were bourgeois became proletariat in a twinkling of an eye.

There is an urgent need to evaluate the causes of flood, and also diagnose ways to avert its future occurrence in Nigeria. There are many questions that people are concerned about in Nigeria. Is government really enforcing laws guiding people from indiscriminate dumping of wastes; is it inadequate drainage facilities that are responsible for flood; are the public not well enlightened on the effects of flood while they carry out various activities that result to flood, like building along the water channels, indiscriminate dumping inter alia.

This research is to answer the research question: “What are the causes and effects of flood in Apete Area of Ibadan, Oyo State, Nigeria, and proffer recommendations to avert the future occurrence of flood in the area.” In attempting to answer the research questions, four objectives set for the study are to: examine the socio-economic characteristics of the inhabitants, identify the possible causes of flood, determine the overall effects of flood and to proffer solutions on how to mitigate future occurrence of flood in the study area.

1.1 Literature Review

The poor in the society have been identified to be the most of the victims of flood, by having no choice, but to end up living in flood prone areas (Lutz *et al.*, 2008). In the view of Stephen (2011), the loss of life due to flood is lower in the developed countries compared to the developing countries. The assertions of Stephen (2011) and Lutz *et al.* (2008) appeared to be right because in developing countries, there are absence of effective zoning regulations, flood controls, emergency response to infrastructure and early warning systems. Bangladesh is a developing country and one of the most susceptible countries to flood disasters in the world. Up to 30% of the country has been covered with flood waters. In 1991, more than 200,000 lives were lost due to flood in Bangladesh (Stephen, 2011). The poor in either developed or developing countries usually reside where the value of land is cheap, like river banks which are flood prone areas, thereby endangering their lives due to flood. Floods all over the world in the recent time have been related to the occurrence and reoccurrence of prolonged heavy rain (Welch *et al.*, 1977; Christopherson, 1997; Action Aid, 2006; Adeaga, 2008; Aderogba, 2011; Wright, 2011; Pilgrim and Cordery, 1993). Climate change has been the resultant effect of prolonged heavy rain across the globe that usually results to floods. Climate Change is an attributed cause of flooding because when the climate is warmer it results to; heavy rains, relative sea level will continue to rise around most shoreline, extreme sea levels will be experienced more frequently (Bariweni *et al.*, 2012). Most of the recent deadly floods have happened where the population has increased more. Due to the population increase, there is also an increase in human settlements in floodplains (Hardoy *et al.*, 2001; Douglas *et al.*, 2008). Human activities such as dam construction, irrigation, bridges and others have negatively impacted on free flow of water in the drainage channels, rivers and streams. Particularly at the urban centers, construction of roads, buildings, factories, manufacturing plants, bridges and culverts, farmlands and others have reduced drainage channels and erosion passages and or diverted the natural courses of the flow of water (Aderogba, 2012). For instance, in Lusaka, the capital of Zambia, flood risk has strongly increased because of the fast growth of the city in flood prone areas (Nchito, 2007). This is also the case of Alexandria in Egypt (Klein *et al.*, 2003), Ibadan in Nigeria also experienced great damage in 2012 flood, the Senegalese capital, Dakar, and the Burkina Faso’s capital, Ouagadougou, strongly affected by the 2009 flooding. Poorest people, in particular, often have a limited choice and ended up living in high flood risk zones, such as riverbanks and coastlines, unaware of the risk and unprepared to react to floods (Lutz *et al.*, 2008).

The case of urban flooding in Ibadan, a non-coastal city in Nigeria is a typical example of man-made flood disaster. Ibadan has been afflicted by very devastating flood incidents since 1933, when Gege rivers drowned houses of those living on its banks. During flooding water is contaminated. Clean drinking water becomes scarce. Unhygienic conditions and spread of water-borne diseases result. People, buildings, infrastructure, agriculture, open recreational space and the natural world are at risk. In extreme cases flooding may cause a loss of life. Torrential rains pushed rivers over their banks, collapsed mud houses and washed away livestock (Adelye and Rustum, 2011). The economy can also be severely affected by flooding. Businesses may lose stock and patronage. Disruption to utilities and transport infrastructure can have knock-down effects on a wider area.

Tourism, farming and livestock can equally be affected. Vital infrastructure may also be damaged or disrupted. Road links, railways, canals etc., may be blocked causing disruption to the wider transport network (Adelye and Rustum, 2011).

The beneficial effect of flood is when the river overflows, and the flood waters flow into the banks, sand, silt and debris are deposited into the surrounding land. After the river water subsided and go back to its normal flow, the deposited materials will help to make the land richer or more fertile. The organic materials and minerals deposited by the river water keep the soil fertile and productive (Abowei and Sikoki, 2005). Flooding adds a lot of nutrients to lakes and rivers which leads to improved fisheries for a few years, also because of the suitability of a floodplain for spawning (little predation and a lot of nutrients). Fish like the weather fish make use of floods to reach new habitats. Together with fish also birds profit from the boost in production caused by flooding (Bariweni *et al* 2012).

Flood control according to Bariweni *et al* (2012) refers to all methods used to reduce or prevent the detrimental effects of flood waters. Some methods of flood control have been practiced since ancient times. These methods include: Planting vegetation to retain extra water, the introduction of flood forecasting systems, the building of population awareness and preparedness, urban planning and discouragement of human settlements in flood prone areas, along with the development of local institutional capacities, are effective and socially sustainable actions that should be pursued with priority in the African continent. These actions can appreciably increase the societal capacity to cope with floods, thereby decreasing their overall impact (Giuliano *et al*, 2010). In Europe, remembering the misery and destruction caused by the 1910 Great Flood of Paris, the French government built a series of reservoirs called Les Grands Lacs de Seine (or Great Lakes) which helps remove pressure from the Seine during floods. In India, Bangladesh and China, flood diversion areas are rural areas that are deliberately flooded in emergencies in order to protect cities (Bariweni *et al*, 2012). Other methods of controlling the effects of flood include: dam construction and river defense. Dams and their associated reservoirs are designed completely or partially to aid in flood protection and control. Defenses as levees, bunds, reservoirs and weirs are used to prevent rivers from overflowing their banks. When these defenses fail, emergency measures such as sandbags or portable inflatable tubes are used. A weir, also known as low head dam, is most often used to create millponds, but on the Humber River in Toronto, a weir was built near Raymore Drive to prevent a reoccurrence of flood damage caused by hurricane

1.2 Study Area

This research was carried out in Apete Area of Ibadan, Oyo State in Nigeria. Apete is located in Ido Local Government which was created from the former Akinyele Local Government in May, 1989. The total population of Ido local government according to the 2006 population census was 103,261 whereby male was counted to be 51,750 and female was 51,511. On account of extensive fertile soil which is suitable for agriculture, the basic occupation of the people is farming. There are pockets of grass land which are suitable for animal rearing, vast forest reserves and rivers. The people grew variety of crops such as Cocoa, Kolanut, Mango, and vegetables such as Tomatoes, Okra, *Ewedu* and others. Ido local government area is called the fruit and vegetable bowl of the state. Apart from farming, the local government area has also gained tremendously from the services of medium and small scale industries for processing agricultural products like cassava and cashew nuts.

1.2.1 Research Methodology

The data used for this research was obtained through both secondary and primary sources. The secondary data were gathered from the 2012 report of NEMA (National Emergency Management Agency) in Nigeria, and other available published and unpublished literature. Primary data were obtained through a set of questionnaire administered to the residents of the study area. The questionnaire was used to obtain the socio-economic data of the residents in Apete Area of Ibadan. Interview and observation were used to collect information on the causes and effects of flood in Apete. The total number of questionnaire used for this study was one hundred and fifty six (156), (See Table 1) which was eleven percent of the overall number of houses in the seven selected areas in Apete. i.e. $(11 \div 100) \times 1417 = 155.8$, approximately 156. The sampling method used for the questionnaire administration was systematic sampling, where the first building was selected randomly, followed by a systematic selection of the next building at an interval of every 8th houses. The data collected from the primary source was analyzed using Scientific Package for Social Scientist (SPSS). Descriptive statistic like tabulations, frequency counts, percentages, charts and graphs were used to present the research data.

1.2.2 Results

The study area, Apete in Ibadan, Oyo state Nigeria has more females than males. There is a general belief that women generate waste more than men. Indiscriminate dumping of the generated wastes might have resulted to the blockage of drainage in the study area, as shown in (Fig. 1). Apete has drainage, but the drainage has been blocked with indiscriminate waste dumps. Over 70% of the respondents are not with tertiary education, which indicates that majority of the inhabitants of the study area may not be aware of the consequences of building structures along water channels, importance of tree planting and indiscriminate waste dumps inter alia.

The major causes of flood in the study area as indicated by the respondents were eight. Many of the respondents selected more than one options for the causes of flood. The study area has drainage (See Table 3), 92.9% of the respondents were of the opinion that blocked drainage with waste has been responsible for flood in the area, while all the respondents attributed the causes of flood to poor waste management (See Table 3). 89.7% of the respondents also said, building along water channels is also a cause of flood. Other causes of flood in the study area include; collapsed bridge (84.6%), climate change (38.4%), inadequate drainage channel (96.1%), poor physical planning (92.3%), and other various causes (57.7%) like inadequate trees, ignorance, and poor government intervention inter alia (See Table 3).

Six major effects of flood were indicated by the respondents. 91.0% of the respondents said property loss was a major effect of flood in the area as many buildings were drowned already. 25.6% of the respondents were of the opinion that flood also claimed lives in the area. 91.7% of the respondents indicated that there was economy loss caused by flood in the area. Other effects of flood in the study area include; diseases outbreak (26.9%), building collapse (50.0%) and injury sustained to be (27.6%)

1.2.3 Discussion

It can be deduced from the study that man induced factors such as: location of the buildings on flood prone areas, indiscriminate waste disposal, lack of flood warning system and natural factors which include: rainfall, saturated soil, and dam failure facilitate flooding. The socio economic characteristics of the inhabitants such as sex, marital status, and educational status have effects on the occurrence of flood in the study area. Despite the fact that majority of the respondents have drainages at the front of their buildings yet flood disaster is a prevalent environmental problem in the area. This is because of the blockage of drainage channel with solid wastes as indicated by over 90% of the respondents. Flood in the study area also causes damage to properties, outbreak of diseases, collapse to structures, damage to vehicles as well as loss of lives. Lack of proper waste management may also contaminate the water sources to transmit environmental diseases such as typhoid, dysentery, while the stagnant water also breed mosquitoes which cause malaria fever through the anopheles mosquitoes. During the interview, reconstruction and rehabilitation of buildings, granting of loans to affected resident, production of quality building materials as well as adequate flood warning system has been suggested by the residents as ways in which flood disaster can be mitigated.

1.2.4 Recommendations

To manage the effects of any future occurrence of flood in the study area and beyond, following measures are suggested;

- (1) There is need for repair and construction of new drainages.
- (2) Construction of flood diversion channels which involves the construction of artificial channels along main river channels to divert part of the discharge during flood flows.
- (3) Governmental and Non-Governmental organizations should set up various information programmes to enlighten the public on dangers of flood disaster.
- (4) Adequate medical facilities should be provided for the treatment of various environmental diseases emanated from occurrence of flood.
- (5) Government should provide adequate funding for disaster management bodies and agencies.
- (6) Regular monitoring of disaster zones should be done by development control of all planning authorities within the area and reduction in building plan approval charges.
- (7) Government should plant trees and encourage citizens to plant trees
- (8) Government should demolish all the structures along the water channels
- (9) Dumping of wastes indiscriminately should be a great offence with high fines, and government should make a provision for proper waste management schemes for the public.

1.2.5 Conclusion

Though flood disaster has diverse effects associated with it both in developed and developing world. These effects such as economic devastation, property loss, environmental disease and untimely death can be reduced and properly managed by adopting both remedial and preventive action to combat the problem of flooding as both approaches are needed to run concurrently to achieve success in dealing with flood. Also, the above stated measures could be adopted so as to have disaster free environment and to achieve a safe, conducive, pleasant and aesthetic environment for living and working.

References

- Abowei, J., & Sikoki, F. (2005). *Water Pollution Management and Control*. Double Trust Publications Co., Port Harcourt, pp: 236.
- ActionAid (2006). *Climate Change, Urban Flooding and the Rights of the Urban Poor in African Cities*. A Report by ActionAid, Nigeria in October 2006.
- Adelye, A., & Rustum, R. (2011). *Flooding and Influence of Urban Planning in Lagos Nigeria*.

- J. Urban Design and Planning (ICE), pp: 164.
- Adeaga, O. (2008). "Flood Hazard Mapping and Risk Management in Parts of Lagos" Department of Geography, Faculty of Environmental Sciences, University of Lagos, Akoka, Lagos, Nigeria.
- Aderogba, K. (2012a). Global Warming and Challenges of Flood in Lagos Metropolis, Nigeria. Academic Research International. Vol. 2 No 1 pp. 448 – 468.
- Aderogba, K. (2012b). Qualitative Study of Recent Floods and Sustainable Growth and Development of Cities and Towns in Nigeria. International Journal of Basic and Applied Sciences. Insan Akademika Publications. October; pp200 – 216.
- Aderogba, K. (2012c). Substantive Causes and Effects of Floods in South Western Nigeria and Sustainable Development of the Cities and Towns. Journal of Emerging Trends in Educational Research and Policy Studies (JETERAPS) 3(4): 551-560.
- Akanni, O., & Bilesanmi, L. (2011). Flood: Lagos Residents Forced to Relocate and Drowning Teenager Rescued. Published by Vanguard Media Limited Lagos. Friday, July10), pp 20.
- Bariweni, P., Tawari, C., & Abowei, J. (2012). Some Environmental Effects of Flooding in the Niger Delta Region of Nigeria. Published by the International Journal of Fisheries and Aquatic Sciences. 1(1): 35-46.
- Bradshaw, C., Sodhi, N., Peh, H., & Brook, W (2007). Global Evidence that Deforestation Amplifies Flood Risk and Severity in the Developing Countries. Global Change Biol.,
- Christopherson, R. (1997). Geosystems: An Introduction to Physical Geography. London: Prentice – Hall. (Third Edition). pp. 423
- Douglas, I., Alam, K., Maghenda, M., McDonnell, McLean, and Campbell (2008). Unjust waters: Climate Change, Flooding and the Urban Poor in Africa, Environ. Urban., 20(1), 187.
- Dow, K., & Dowing, T. (2006). The Atlas of Climate Change: Mapping the World's Greatest Change. Brighton: Earthscan; pp. 64 – 77.
- European Parliament & Council of the European Union 2007, on the assessment and management of flood risks, Off. J. Eur., Union Legis., 50, 27–34.
- Giuliano, D., Alberto, M., Harry, L., Demetris, K., Luigia, B., & Gunter, B. (2010). Flood Fatalities in Africa: From Diagnosis to Mitigation. Geophysical Research Letters, vol. 37
- Halley (2001). Impact of 1998 Flood Nutrition and Health. What can we learn from Future Disaster? Dhaka: Helen Keller International, Bangladesh and Institute of Public Health Nutrition.
- Kates, R. (1985). Hazard Assessment: Art, Science, and Ideology. West view press, pp 251.
- Kershi, J., & Simon, R. (2005). The Essentials of the Environment. London: Hodder pp. 30
- Klein, R., Nicholls, J., & Thomalla, F. (2003). The Resilience of Coastal Megacities to Weather Related Hazards, in Building Safer Cities: The Future of Disaster Risk. Edited by A. Kreimer, M., Arnold, & Carlin, A, pp. 101–120, The World Bank, Washington, D. C.
- Lutz, W., Sanderson, W., & Scherbov, S. (2008). The Coming Acceleration of Global Population Ageing, Nature. 451, 716–719, doi:10.1038/ nature06516.
- National Emergency Management Agency (NEMA) Report on 2012 Flood Disaster in Nigeria
- Nchito, W. (2007). Flood Risk in Unplanned Settlements in Lusaka, Environ. Urban.,19(2), 539
- Pilgrim, D., & Cordery, F. (1993). Flood Runoff in D. R. Maidment. Handbook of Hydrology. New York: McGraw-Hill Inc. pp 9.1 –9.42.
- Stephen, A. (2011). River Systems & Causes of Flooding. Tulane University, EENS 2040.
- Taiwo (2008). Flood Sacks 500 in Babura. Published by Thisday Nigeria. Vol.13 No.4867 pp.18
- Welch, H., Symons, P., & Narver, D. (1977). Some Effects of Potato Farming and Forest Clear Cutting on New Brunswick Streams, Fisheries and Marine Service. Environ. Can. Technical Report No. 745, St. Andrew's New Brunswick.
- Wright, T. (2011). Waterlogged: Pakistani Children push a motorbike through flooded streets after rain in Lahorerin. The Wall Street Journal. London.

Table 1: Number of houses in the selected areas and sample size
 Source: Author's Work, 2013.

S/N	Selected areas	No of houses (H)	Sample size at 11% of (H)	No of questionnaire
1	Onigbodogi	211	23.2	23
2	Awotan	252	27.7	28
3	Morubo	200	22.0	22
4	Fanowole	190	20.9	21
5	Papa	167	18.3	18
6	Jeje	201	22.1	22
7	Ayegun	196	21.5	22
	Total	1,417	155.7	156

Table 2: Socio-economic characteristics of the respondents

Sex	Frequency	Percentage (%)
Male	75	48.1%
Female	81	51.9%
Total	156	100%
Marital Status	Frequency	Percentage (%)
Single	62	39.7
Married	84	53.8
Widow	10	6.5
Total	156	100%
Educational Qualifications	Frequency	Percentage (%)
Primary School	32	20.5
Secondary School	61	39.1
Tertiary Education	40	25.6
No Formal education	23	14.8
Total	156	100%


Source: Author's Work (2013)

Table 3: Possible Causes of Flood in Apete Area of Ibadan, Oyo State, Nigeria.

Causes of Flood	No of respondents	%
No drainage	32	20.5
Blocked drainage with waste	145	92.9
Building along water channels	120	89.7
Poor Waste Management	156	100.0
Collapsed of bridge	132	84.6
Climate change	60	38.4
Inadequate drainage Channel	150	96.1
Poor Physical Planning	144	92.3
Others (Specified)	90	57.7


Source: Author's Work (2013)

Figure 1: Map of Ibadan with Eleven Local Government Areas



Source: Ministry of Lands and Housing. Ibadan, 2009.

Figure 2: Possible Effects of flood in Area of Ibadan, Oyo State, Nigeria.



Source: Author's Work (2013)

Plate I: Improper disposal of waste into the drainage channel causing flood in Apete Area.



Source: Author's work, 2013

This academic article was published by The International Institute for Science, Technology and Education (IISTE). The IISTE is a pioneer in the Open Access Publishing service based in the U.S. and Europe. The aim of the institute is Accelerating Global Knowledge Sharing.

More information about the publisher can be found in the IISTE's homepage:

<http://www.iiste.org>

CALL FOR PAPERS

The IISTE is currently hosting more than 30 peer-reviewed academic journals and collaborating with academic institutions around the world. There's no deadline for submission. **Prospective authors of IISTE journals can find the submission instruction on the following page:** <http://www.iiste.org/Journals/>

The IISTE editorial team promises to review and publish all the qualified submissions in a **fast** manner. All the journals articles are available online to the readers all over the world without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. Printed version of the journals is also available upon request of readers and authors.

IISTE Knowledge Sharing Partners

EBSCO, Index Copernicus, Ulrich's Periodicals Directory, JournalTOCS, PKP Open Archives Harvester, Bielefeld Academic Search Engine, Elektronische Zeitschriftenbibliothek EZB, Open J-Gate, OCLC WorldCat, Universe Digital Library, NewJour, Google Scholar

