

Short Term Predicting Volatility Service Jordanian Sector

S. Al Wadi¹, Ola Basbous²

1. Department of Finance, Faculty of Business, The University of Jordan, Jordan.

E-mail: Sadam_alwadi@yahoo.co.uk

2. MBA researcher, E-mail: ola-alsham@hotmail.com

Abstract

Stock market volatility have added an important section in risk scholarship and it is actual problem particularly in emerging markets. Earlier, it is measured by standard deviation of the return. Consequently, in this research the volatility data will be predicted based on ARIMA model (Autoregressive Integrated Moving Average model) of the service sector in Amman Stock Exchange (ASE) from January 2019 to December 2019. Consequently this article shows that the ARIMA model has important results in prediction. Therefore, These outcomes will be helpful for the investments.

Keywords: ARIMA model, forecasting, Service sector.

DOI: 10.7176/EJBM/11-36-14

Publication date: December 31st 2019

1. Introduction

Volatility is important point for many scholars in financial institutions specially in emerging markets. Therefore, numerous scholars have focus in this field such as detecting and modeling and forecasting volatility since the volatility is used to assess the risk in the market for more details refer to (Bollersley, et al. 2016). Newly, many models of volatility have been recommend in order to make testing of the major trade-off between return and risk of financial assets such as GARCH model. This model is implemented for modeling and predicting volatility data (Babu & Reddy, 2015).

As we stated before, several scientists have focused on the volatility data since all the financial data are extremely volatile. Therefore, the data trend and accuracy stores can be happened simultaneously (Babu & Reddy, 2015). Consequently, this reason encourage the researchers to expand many approaches for modeling the forecasting volatility data. (Joukar & Nahmens, 2015) employed ARCH and GARCH models to calculate the volatility. The mathematical definition of volatility can be defined (Al Wadi, 2017). The volatility data hardly forecasting since the data are non-stationary and non-linear with high heteroscedasticity [Wang, et. al., 2012]. This reason encourage the scientists to recover many predicting models such as artificial neural network model, ARIMA model and others. ARIMA model is an traditional model with widely application in stock market data application [Awajan, et. al., 2017, Awajan, et. al., 2017, Al Wadi, 2013].

thousands of articles have available using ARIMA model in many fields. Therefore, in order to highpoint the gap and the differences between this work and previous works the a critically review should be presented. Numerous scientists have been emerging predicting models such as exponential, regression, GARCH models. However, only some linked works that has used ARIMA model in predicting financial data such as [Khashei, et. al., 2012; Wang, 2011; Al-Khazaleh et al, 2015]. Whereas, rarely to find any article that utilize Amman Stock Exchange using ARIMA model in forecasting such as (Al Wadi, 2015; Al Wadi, 2017; Al Wadi, et al., 2011). Especially the volatility of service sector in ASE recently.

3. Autoregressive Integrated Moving-Average Model (ARIMA (p,d,q))

The auto-regressive moving average is signified by (ARMA) model is implemented for stationary data only, it contains three combination models. An addition of the ordinary ARMA model is the auto-regressive integrated moving-average model (ARIMA(p,d,q)) given by :

$$\phi_p(B)(1-B)^d Y_t = \epsilon_0 + \epsilon_q(B) e_t$$

Where p, d and q denote orders of auto-regression, integration (differencing) and moving average, respectively. When d=0, the ARIMA model reduces to the ordinary ARMA model [Awajan, et. al., 2017].

4. Result and discussion

MINTAB software is applied to create the results. The daily service data from ASE for a specific period of time has been designated as the statistical population. There are many ARIMA model can be predictable for one column of dataset based on using different values of p,d and q. Therefore, the fitted ARIMA model which has less MSE (Mean Square Error) which is ARIMA (1,1,0)

Final Estimates of Parameters

Type	Coef	SE Coef	T	P
AR 1	-0.4479	0.0583	-7.68	0.000
Constant	-0.00002137	0.00009330	-0.23	0.0419

Differencing: 1 regular difference

Number of observations: Original series 238, after differencing 237

Residuals: SS = 0.000484823 (backforecasts excluded)
 MS = 0.000002063 DF = 235

It is noticeable here is that MS is very small which indicate that the forecasting accuracy is very high.

Modified Box-Pierce (Ljung-Box) Chi-Square statistic

Lag	12	24	36	48
Chi-Square	47.0	68.6	83.5	105.5
DF	10	22	34	46
P-Value	0.000	0.000	0.000	0.000

Also here the P-value is significant at all the lages since it is less than 0.05. Therefore, the predicted 50 values (next 50 days) is

Forecasts from period 238

Period	Forecast	95 Percent Limits		Actual
		Lower	Upper	
239	0.0010440	-0.0017718	0.0038598	
240	0.0008769	-0.0023395	0.0040933	
241	0.0009304	-0.0029216	0.0047823	
242	0.0008851	-0.0033953	0.0051654	
243	0.0008840	-0.0038320	0.0056000	
244	0.0008631	-0.0042322	0.0059584	
245	0.0008511	-0.0046052	0.0063074	
246	0.0008351	-0.0049564	0.0066266	
247	0.0008209	-0.0052888	0.0069306	
248	0.0008059	-0.0056057	0.0072175	
249	0.0007912	-0.0059088	0.0074913	
250	0.0007764	-0.0062001	0.0077530	
251	0.0007617	-0.0064809	0.0080043	
252	0.0007469	-0.0067522	0.0082461	
253	0.0007322	-0.0070150	0.0084794	
254	0.0007174	-0.0072701	0.0087050	
255	0.0007027	-0.0075182	0.0089235	
256	0.0006879	-0.0077599	0.0091357	
257	0.0006731	-0.0079956	0.0093419	
258	0.0006584	-0.0082258	0.0095426	
259	0.0006436	-0.0084509	0.0097382	
260	0.0006289	-0.0086713	0.0099290	
261	0.0006141	-0.0088872	0.0101154	
262	0.0005994	-0.0090989	0.0102976	

263	0.0005846	-0.0093067	0.0104759
264	0.0005698	-0.0095109	0.0106505
265	0.0005551	-0.0097115	0.0108217
266	0.0005403	-0.0099088	0.0109895
267	0.0005256	-0.0101030	0.0111541
268	0.0005108	-0.0102942	0.0113158
269	0.0004960	-0.0104826	0.0114747
270	0.0004813	-0.0106683	0.0116308
271	0.0004665	-0.0108513	0.0117844
272	0.0004518	-0.0110320	0.0119355
273	0.0004370	-0.0112102	0.0120843
274	0.0004223	-0.0113862	0.0122307
275	0.0004075	-0.0115601	0.0123750
276	0.0003927	-0.0117318	0.0125173
277	0.0003780	-0.0119015	0.0126575
278	0.0003632	-0.0120693	0.0127958
279	0.0003485	-0.0122353	0.0129322
280	0.0003337	-0.0123994	0.0130668
281	0.0003189	-0.0125618	0.0131997
282	0.0003042	-0.0127226	0.0133309
283	0.0002894	-0.0128817	0.0134605
284	0.0002747	-0.0130392	0.0135886
285	0.0002599	-0.0131953	0.0137151
286	0.0002452	-0.0133498	0.0138402
287	0.0002304	-0.0135030	0.0139638
288	0.0002156	-0.0136548	0.0140860

5. Conclusion

This article presented a important model that carries a good predicting model of the new high technology procedure. Consequently, collecting enough data to predict service data in ASE, an ARIMA model are applied over the dataset performed to improve the prediction.. Around 250 observations were collected to appliace the forecasts of this and the best ARIMA model were selected based on the most famous criteria which is MSE (Mean Square Error). Then the 50 future values will be presented. Forthcoming research in this topic includes other stock market data such as industrial data also the future values can be found using the suggested model.

References

- Al-Khazaleh, Ahmad MH, S. Al Wadi, and Faisal Ababneh. (2015) . "Wavelet transform asymmetric winsorized mean in detecting outlier values". *Far East Journal of Mathematical Sciences* . 96.3: 339-351.
- Al Wadi, S., Abdulkareem Hamarsheh, and Hazem Alwadi. (2013). "Maximum overlapping discrete wavelet transform in forecasting banking sector." *Applied Mathematical Sciences*. 7.80 : 3995-4002.
- Alwadi, S., (2015). Forecasting Short Term Financial Data. *European Scientific Journal* 11, No.25. 251-255.
- Al Wadi, S. (2017). Improving volatility risk forecasting accuracy in industry sector. *International Journal of Mathematics and Mathematical Sciences*, 2017.
- Al Wadi, S., Ismail, M. T., & Abdul Kari, S. A. (2011). Discovering Structure breaks in Amman stocks market. *Journal of Applied Sciences*, 11, 1273-1278.
- Awajan, Ahmad M., Mohd Tahir Ismail, & Al Wadi. (2017). "A Hybrid Approach EMD-MA For Short-Term Forecasting Of Daily Stock Market Time Series Data. *Journal Of Internet Banking And Commerce* 22.1.
- Awajan, A. M., Ismail, M. T., & Al Wadi, S. (2017). A hybrid emd-ma for forecasting stock market index. *Italian Journal of Pure and Applied Mathematics*, 38(1), 1-20.
- Awajan, A. M., Ismail, M. T., & Wadi, S. A. (2017). Forecasting time series using EMD-HW bagging. *International Journal of Statistics & Economics*TM, 18(3), 9-21.
- Bollerslev, T., Patton, A., & Quaedvlieg, R., (2016), Exploiting the errors: A simple approach for improved

volatility forecasting, *Journal of Econometrics*, 192, 1– 18.

Babu, C. N., & Reddy, B. E. (2015). Prediction of selected Indian stock using a partitioning–interpolation based ARIMA–GARCH model. *Applied Computing and Informatics*, 11(2), 130-143.

Joukar, A., & Nahmens, I. (2015). Volatility forecast of construction cost index using general autoregressive conditional heteroskedastic method. *Journal of construction engineering and management*, 142(1), 04015051.

Khashei, M., Bijari, M., & Ardali, G. A. R. (2012). Hybridization of autoregressive integrated moving average (ARIMA) with probabilistic neural networks (PNNs). *Computers & Industrial Engineering*, 63(1), 37-45.

Wang, J. J., Wang, J. Z., Zhang, Z. G., & Guo, S. P. (2012). Stock index forecasting based on a hybrid model. *Omega*, 40(6), 758-766.