

An Improved Algorithm for the Solution of Nonlinear Partial Differential Equations

Olayiwola, M. O.

Department of Mathematical and Physical Sciences, Faculty of Basic & Applied Sciences, College of Science, Engineering & Technology, Osun State University, Osogbo, Nigeria.
Information Management & Technology Centre, Office of the Vice-Chancellor, Osun State University, Osogbo, Nigeria.

Abstract

In this paper, an improved algorithm for the solution of Generalized Burger-Fisher's Equation is presented. A Maple code is generated for the algorithm and simulated. It was observed that the algorithm gives the solution with less computation.

Keyword: Algorithm, Pde, MVIM, Generalized Burger-Fisher's Equation

1.0 Introduction

Generalized Burger-Fisher equation, being a nonlinear partial differential equation, is of great importance for describing the interaction between reaction mechanisms, convection effects, and diffusion transports. Since there exists no general technique for finding analytical solution of nonlinear diffusion equations so far, numerical solutions of nonlinear equations are of great importance in physical problems

Many researchers [1,2,3,10] have used various numerical methods to solve Generalized Burger-Fisher. Recently Javidi [10] used modified pseudospectral method for generalized Burger's-Fisher equation. Kaya [2] introduced a numerical simulation of the generalized Burger's-Fisher equation. Ismail [8] presented a restrictive pade approximation for the solution of the generalized Burger's-Fisher equation. Hassan et al [3] studied Adomian Decomposition Method (ADM) for generalized Burger's-Huxley and Burger's-Fisher equations.

Unlike some previous methods that used various transformations and several iterations, we present a new Modified Variational Iteration Method (MVIM) for the numerical solutions of generalized Burger-Fisher equation.

2.0 Modified Variational Iteration Method (MVIM)

The idea of variational iteration can be traced to Inokuti [9]. The variational iteration method was proposed by J.H He [4-7], In this paper, a Modified Variational Iteration Method proposed by Olayiwola [11-14] is presented for the solution of the generalized Burger-Fisher equation.

To illustrate the basic concept of the MVIM, we consider the following general nonlinear partial differential equation:

$$Lu(x,t) + Ru(x,t) + Nu(x,t) = g(x,t) \dots \dots \dots (1.0)$$

where L is a linear time derivative operator, R is a linear operator which has partial derivative with respect to x, N is a nonlinear operator and g is an inhomogeneous term. According to MVIM, we can construct a correct functional as follows:

$$u_0(x,t) = u(x,0) + g_1(x)t \dots \dots \dots (1.1)$$

$$u_{n+1}(x,t) = u_n(x,t) + \int_0^t \lambda [Lu_n + R\tilde{u}_n + N\tilde{u}_n - g] d\tau \dots\dots\dots (1.2)$$

where $g_1(x)$ can be evaluated by substituting $u(x,0)$ in (2.1) and at $t = 0$.

λ is a Lagrange multiplier which can be identified optimally via Variational Iteration Method. The subscript n denote the n th approximation, \tilde{u}_n is considered as a restricted variation i.e, $\delta\tilde{u}_n = 0$.

3.0 MVIM for the solution of generalized Burger-Fisher equation

The following generalized Burger-Fisher (gBF) equation problems arising in various field of science is considered.

$$\frac{\partial u}{\partial t} + \alpha u^\delta \frac{\partial u}{\partial x} - \frac{\partial^2 u}{\partial x^2} = \beta u(1 - u^\delta), \quad 0 \leq x \leq 1, t \geq 0. \dots\dots\dots(1.3)$$

with the initial condition

$$u(x,0) = \left(\frac{1}{2} + \frac{1}{2} \operatorname{Tanh} \left(-\frac{\alpha\delta}{2(\delta+1)} x \right) \right)^{\frac{1}{\delta}} \dots\dots\dots (1.4)$$

And the boundary conditions

$$u(0,t) = \left(\frac{1}{2} + \frac{1}{2} \operatorname{Tanh} \left(\frac{\alpha\delta}{2(\delta+1)} \left(\frac{\alpha}{\delta+1} + \frac{\beta(\delta+1)}{\alpha} \right) t \right) \right)^{\frac{1}{\delta}}, t \geq 0. \dots\dots(1.5)$$

$$u(1,t) = \left(\frac{1}{2} + \frac{1}{2} \operatorname{Tanh} \left(\frac{\alpha\delta}{2(\delta+1)} \left(1 - \left(\frac{\alpha}{\delta+1} + \frac{\beta(\delta+1)}{\alpha} \right) t \right) \right) \right)^{\frac{1}{\delta}}, t \geq 0. \dots\dots\dots(1.6)$$

$\alpha, \beta,$ and δ are parameters such that $\beta \geq 0, \delta > 0$. When $\delta = 1$, equation (1.3) reduces to Burger's-Fisher (BF) equation

We used Maple to code (1.1-1.2) for the solution of (1.3-1.6) and the following results were obtained after one iteration:

Table 1: The Absolute error for $\alpha = 0.001, \beta = 0.001, \text{ and } \delta = 1$

x	t	Exact solution	MVIM solution	MVIM(error)	ADM(error)[3]	VIM(error)[3]
0.1	0.005	4.9998900000E-01	4.9998875030E-01	2.4970000001E-07	9.6876300000E-06	1.0164970000E-04
	0.001	5.0001300000E-01	4.9998775010E-01	2.5249900000E-05	1.9375300000E-06	3.4664990000E-04
	0.01	4.9999000000E-01	4.9999000060E-01	5.999999413E-10	1.9375200000E-05	1.1780600000E-05
0.5	0.005	4.9993900000E-01	4.9993875030E-01	2.4970000001E-07	9.6869100000E-06	2.7914970000E-04
	0.001	4.9996300000E-01	4.9993775010E-01	2.5249900000E-05	1.9373800000E-06	9.8702499000E-03
	0.01	4.9994000000E-01	4.9994000060E-01	5.999999413E-10	1.9373800000E-05	3.7400600000E-05
0.9	0.005	4.9988900000E-01	4.9988875030E-01	2.4970000001E-07	9.6861900000E-06	2.7149700000E-05
	0.001	4.9991300000E-01	4.9988775010E-01	2.5249900000E-05	1.9372400000E-06	9.4249900000E-05
	0.01	4.9989000000E-01	4.9989000060E-01	5.999999413E-10	1.9372400000E-05	6.378999994E-08

Table 2: The Absolute error for $\alpha = 1, \beta = 1, \text{ and } \delta = 2$

x	t	Exact solution	MVIM solution	MVIM(error)	ADM(error)[3]	VIM(error)[3]
0.1	0.0005	6.9542600000E-01	6.9542575300E-01	2.4700000001E-07	1.4017700000E-03	2.5700000001E-07
	0.0001	6.9526600000E-01	6.9526613430E-01	1.3429999990E-07	2.8039600000E-04	7.0939600000E-04
	0.001	6.9562500000E-01	6.9562523130E-01	2.3129999993E-07	2.8030100000E-03	2.8031223000E-03
0.5	0.0005	6.4629700000E-01	6.4629716130E-01	1.6130000002E-07	1.3452600000E-03	9.7961300000E-05
	0.0001	6.4613000000E-01	6.4612989020E-01	1.0979999998E-07	2.6909400000E-04	6.1166980000E-04
	0.001	6.4650600000E-01	6.4650622380E-01	2.2379999998E-07	2.6900000000E-03	1.0022380000E-04
0.9	0.0005	5.9548100000E-01	5.9548126730E-01	2.6729999991E-07	1.2769900000E-03	1.7717300000E-05
	0.0001	5.9531000000E-01	5.9531045390E-01	4.5390000003E-07	2.5543800000E-04	7.5383900000E-05
	0.001	5.9569500000E-01	5.9569477720E-01	2.2280000000E-07	2.5534600000E-03	-2.8407720000E-04

When $\alpha = 1, \text{ and } \beta = 0$ (1.3) is reduced to the generalized Burger's equation. The comparison between the absolute error for the exact solution and approximate solution is presented in Table 3.

Table 3: The Absolute error for $\alpha = 1, \beta = 0, \text{ and } \delta = 3$

X	t	Exact solution	MVIM solution	MVIM(error)	ADM(error)	VIM(error)
0.1	0.0005	7.8367000000E-01	7.8367007490E-01	7.4899999980E-08	4.4532000000E-04	1.3729000000E-06
	0.0001	7.8366000000E-01	7.8365991220E-01	8.7800000048E-08	4.4637900000E-04	4.7808780000E-04
	0.001	7.8368300000E-01	7.8368277800E-01	2.2200000005E-07	4.4399700000E-04	7.8652220000E-03
0.5	0.0005	7.4129600000E-01	7.4129553480E-01	4.6519999997E-07	1.8547400000E-03	6.2595200000E-05
	0.0001	7.4128500000E-01	7.4128455150E-01	4.4849999992E-07	1.8605700000E-03	1.4364850000E-04
	0.001	7.4130900000E-01	7.4130926350E-01	2.6350000004E-07	1.8474600000E-03	5.3236350000E-04
0.9	0.0005	6.9616900000E-01	6.9616894960E-01	5.0400000062E-08	9.1958200000E-04	7.3303040000E-04
	0.0001	6.9615700000E-01	6.9615741750E-01	4.1750000002E-07	9.3180300000E-04	7.6593400000E-05
	0.001	6.9618300000E-01	6.9618336460E-01	3.6459999997E-07	9.0429700000E-04	7.1159460000E-04




Figure 1: Graph of Burger-Fisher for $\alpha = 1, \beta = 1$ and $\delta = 1$




Figure 2: Graph of gBF when $\alpha = 1, \beta = 1$ and $\delta = 10$




Figure 3: Graph of Exact /MVIM against t when $\alpha = 1, \beta = 1,$ and $\delta = 10$




Figure 4: Graph of gBF when $\alpha = 1, \beta = 1$ and $\delta = 10000$

4.0 Results and Discussion

Tables [1-3] shows that the MVIM is the best approximant when compared with VIM and ADM. Figure 2 is the graph of Exact solution for the generalized Burger-fisher when $\alpha = 0.001, \beta = 0.001,$ and $\delta = 10$

While Figure 3 compares the graph of Exact with the MVIM. It is also to be noted that both graphs of Burger-Fisher and generalized Burger-Fisher as shown in Figure 1 and Figure 3, respectively, justify the conclusion that the two equations approaches the same steady state. However, as δ grows u becomes independent of t as shown in Figure 4.

5.0 Conclusion

There are some important points to note here. First, the MVIM provides the solutions in terms of convergent series with easily computable components. Second, it is clear and remarkable that approximate solutions using MVIM are in good agreement. Third, the MVIM technique requires less computational work than many existing approaches. The MVIM was used in a direct way without using linearization, perturbation or restrictive assumptions.

The MVIM provides more realistic series solutions, very high accuracy, fast transformation and possibility of implementation of algorithm. The Algorithm makes it easier for the system to predict the next series.

References

- [1]. Amit Goyal, Alka,Rama Gupta and C.Nagaraja Kumar (2011) "Solitary Wave Solutions for Burgers-Fisher type Equations with Variable Coefficients" *WASET* 60, 1742-1746.
- [2]. D.Kaya, S.M.El.Sayed,(2004) "A numerical simulation and explicit solutions of The generalized Berger-Fisher equation," *Appl.Math.Comput.* 152, 403-413.
- [3]. Hassan N .A Ismail, Kamal Raslam & Aziza A Abd Rabboh (2004) "Adomian Decomposition Method for Generalized Burger's-Huxley and Burger's-Fisher Equation." *Applied Mathematics and Computation.* 159, 291-301.
- [4]. He. J.H (2000) "Variational iteration method for autonomous ordinary differential system" *App. Maths and Computation*, 114, 115-123.
- [5]. Ji-Huan He,(1999) " Variational Iteration method: a kind of non-linear analytical technique: Some examples", *Int. Journal of Non-linear mechanics*, 3494 ,699-708.
- [6]. He. J.H (1998) "Approximate analytical solution for seepage flow with fractional derivatives in porous media" *Compt. Math. App. Mech. Eng.* 167. 57-68.
- [7]. He. J.H (1998) " Approximate solution of nonlinear differential equations with convolution product nonlinearities" *Comp. Math. Apply Mech. Eng.* 167: 69-73.
- [8]. H.N.A.Ismail,A.A.A.Rabboh (2004) "A restrictive Pade approximation for The solution of the generalized Fisher and Berger-Fisher equation" *Appl. Math.Comput.* 154, 203-210
- [9]. Inokuti M. (1978) "General use of the Lagrange multiplier in nonlinear mathematical physics in: S. Nemat Nasser (Ed), Variational method in the mechanics of solid," *Pergamon Press*, 156-162.
- [10].Javidi M (2006) " Modified Pseudospectral Method for generalized Burger's-Fisher Equation" *International Mathematical Forum*, 1, No. 32, 1555-1564
- [11].M.O. Olayiwola, A .W. Gbolagade , F. O Akinpelu (2011)" An Efficient Algorithm for Solving the Nonlinear PDE", *International Journal of Scientific and Engineering Research*, 2(10) ,1-10.
- [12].M.O. Olayiwola, A .W. Gbolagade , A .O .Adesanya (2010) "An Efficient Algorithm for Solving the Telegraph Equation", *Journal of the Nigerian Association of Mathematical Physics*, 16,199-204, 2010.
- [13].M.O. Olayiwola, A .W. Gbolagade and A .O .Adesanya (2010) " Solving Variable Coefficient Fourth-Order Parabolic Equation by Modified initial guess Variational Iteration Method" *Journal of the Nigerian Association of Mathematical Physics* 16,205-210.
- [14] Olayiwola M O ,Akinpelu F O & Gbolagade A W (2012) "Modified Variational Iteration Method for the Solution of a Class of Differential Equations" *American Journal of Computational and Applied Mathematics* , 2(5): 228-231

The IISTE is a pioneer in the Open-Access hosting service and academic event management. The aim of the firm is Accelerating Global Knowledge Sharing.

More information about the firm can be found on the homepage:

<http://www.iiste.org>

CALL FOR JOURNAL PAPERS

There are more than 30 peer-reviewed academic journals hosted under the hosting platform.

Prospective authors of journals can find the submission instruction on the following page: <http://www.iiste.org/journals/> All the journals articles are available online to the readers all over the world without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. Paper version of the journals is also available upon request of readers and authors.

MORE RESOURCES

Book publication information: <http://www.iiste.org/book/>

Academic conference: <http://www.iiste.org/conference/upcoming-conferences-call-for-paper/>

IISTE Knowledge Sharing Partners

EBSCO, Index Copernicus, Ulrich's Periodicals Directory, JournalTOCS, PKP Open Archives Harvester, Bielefeld Academic Search Engine, Elektronische Zeitschriftenbibliothek EZB, Open J-Gate, OCLC WorldCat, Universe Digital Library, NewJour, Google Scholar

